


**NFPA**

**HMIS**

Quick Dry Adherent



HEALTH	3
FIRE	4
REACTIVITY	0
PPE	



**SECTION 1 : Chemical Product and Company Identification**

**MSDS Name:** Quick Dry Adherent  
**Manufacturer Name:** Mueller Sports Medicine, Inc.  
**Address:**  
 One Quench Drive  
 Prairie du Sac, WI 53578  
 USA

**Business Phone:** (608) 643-8530  
**Business Fax:** (608) 643-2568  
 For information in North America, call: (608) 643-8530  
**Manufacturer MSDS Revision Date:**  
 04-25-08  
 SUPERCEDES: September 29, 2004

**CAS Number:** See Section 2  
**Chemical Formula:** Mixture  
**NFPA**

Health: 3  
 Flammability: 4  
 Reactivity: 0  
 Other:

**HMIS**

Health Hazard: 3  
 Fire Hazard: 4  
 Reactivity: 0  
**Personal Protection:**

DOT HAZARD CLASSIFICATION: Consumer Commodity  
 HAZARD CLASS: ORM-D  
 DOT LABEL: Carton marked with ORM-D

CHEMICAL NAME: Not Applicable

**Product Codes:**



TOP

**SECTION 2 : Hazardous Ingredients/Identity Information**

Chemical Name	CAS#	Percent	
Liquefied Petroleum Gas	68476-85-7	35-40%	

OSHA PEL TWA: 1000 ppm

Chemical Name	CAS#	Percent	
Isopropyl Alcohol	67-63-0	5-15%	

OSHA PEL TWA: 400 ppm

Chemical Name	CAS#	Percent	
Heptanes	142-82-5	15-20%	

OSHA PEL TWA: 400 ppm

Chemical Name	CAS#	Percent	
Acetone	67-64-1	20-30%	

ACGIH TLV TWA: 500 ppm

Chemical Name	CAS#	Percent	
Partially hydrogenated Rosin	65997-06-0	5-10%	

ACGIH TLV TWA: 10 mg/m3



TOP

### SECTION 3 : Physical And Chemical Characteristics

**Physical State/Appearance:**

Liquid

**Color:**

Cloudy

**Odor:**

Solvent odor

**Vapor Pressure:**

Pressure in a can at 70 deg F: Approx. 50 psig

**Vapor Density:**

Vapor Point: > 1.0

**Boiling Point:**

-43.7 deg F

**Solubility:**

In water: Negligible

**Specific Gravity:**

(Water = 1): < 1.0

**Evaporation Point:**

(BuAce = 1): > 1

**Percent Volatile:**

By weight: Approx. 100%

**FlashPoint:**

-156 deg F (for aerosol propellant)

**Upper Flammable Explosive Limit:**

Estimated: 9.5%

**Lower Flammable Explosive Limit:**

Estimated: 1.8%



TOP

### SECTION 4 : Fire And Explosion Hazards

**Fire:**

Flammability Category: Extremely Flammable (Reference - Consumer Product Commission, Flame projection test for aerosol products, per 16 CFR 1500.45)

**Flash Point:**

-156 deg F (for aerosol propellant)

**Upper Flammable or Explosive Limit:** Estimated: 9.5%

**Lower Flammable or Explosive Limit:** Estimated: 1.8%

**Extinguishing Media:**

Foam, Dry Chemical, Carbon Dioxide

**Fire Fighting Instructions:**

Avoid possible accumulations of vapors at floor level, as vapor is heavier than air. Self-contained breathing apparatus and protective clothing should be worn in fighting fires involving chemicals.

**Unusual Fire Hazards:**

Avoid possible bursting of aerosol can. Do not store where temperature may exceed 120 deg Do not puncture or incinerate.



TOP

### SECTION 5 : Health Hazards

**Applies to All Ingredients:**

**Route of Exposure:**

Inhalation, Skin, Contact

**Potential Health Effects:**

**Eye Contact:**

Irritation

**Skin Contact:**

Irritation upon prolonged contact. Defatting of skin possible with prolonged contact.

**Inhalation:**

Dizziness, nausea, headaches, and loss of consciousness.

**Carcinogenicity:**

None of the components in this material are listed by IARC, NTP, OSHA, or ACGIH as a carcinogen or potential carcinogen.

Suggested Exposure Guideline: 100 ppm

**Applies to All Ingredients:**

**Carcinogenicity:**

None of the components in the material are listed by IARC, NTP, OSHA, or ACGIH as a carcinogen or potential carcinogen.



TOP

**SECTION 6 : Emergency And First Aid Procedures**

**Eye Contact:**

Flush eyes well with running water for 15 minutes.

**Skin Contact:**

Wash with soap and water. Remove soaked clothing to avoid prolonged skin contact.

**Inhalation:**

Remove to fresh air. Artificial respiration, consult physician.



TOP

**SECTION 7 : Reactivity Data**

**Chemical Stability:**

Stable

**Conditions to Avoid:**

Heat, Sparks, flames, strong oxidizers

**Hazardous Polymerization:**

Will not occur

**Hazardous Decomposition Products:**

Carbon Dioxide, Carbon Monoxide, and toxic gases possible if thermally decomposed



TOP

**SECTION 8 : Precautions For Safe Handling**

**Spill Cleanup Measures:**

Ventilate area well. Avoid any sources of ignition for flammable liquid or vapor.  
Soak up on suitable absorbent material.

**Storage:**

Do not store where temperature may exceed 120 deg F. Store away from, fire, spark, or flame.

**Waste Disposal:**

Conventional solvent waste receptacle. Dispose of in accordance with all local and State and federal regulations. Avoid contamination of groundwater.

**DOT:**

Shipping Classification: Consumer Commodity ORM-D

**DOT Hazard Class:** ORM-D

**DOT Identification Number:** None

**DOT Subpart E Labeling Requirement:** None, carton must be marked with ORM-D



TOP

**SECTION 9 : Control Measures**

**Ventilation System:**

Must be adequate to maintain vapors at less than 100 ppm, particularly at floor level as vapors are heavier than air.

**Hand Protection Description:**

Protective Gloves: None needed for normal use. Neoprene, Polyvinyl Alcohol recommended if prolonged exposure expected.

**Eye/Face Protection:**

Safety glasses or goggles recommended.

**Respiratory Protection:**

Respiratory protection is not required for normal use.

If TLV is exceeded wear NIOSH-approved self-contained breathing.

**Exposure Limits:**

Suggested Exposure Guideline: 100 ppm



TOP

**SECTION 10 : Other Information**

**HMIS:**

Health Hazard: 3

Fire Hazard: 4

Reactivity: 0

**NFPA:**

Fire Hazard: 4

Health: 3

Reactivity: 0

**Label Precautions:**

Special Precautions: Do not use near heat, fire, flame, or sparks. Avoid excessive breathing of vapor. Use only in accordance with directions.

**MSDS Revision Date:**

04-25-08

SUPERCEDES: September 29, 2004

Copyright© 1996-2009 Actio Corporation. All Rights Reserved.